EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Gazelle (PCS No. 03248)

CROPS:

[Field & protected crops of: Lettuce*, Parsley**]

[Field crops of: Swede, Turnip, Horseradish and Celeriac]

For this EAMU the following crop definitions apply:

- * Lettuce includes: Head & Leaf varieties of *Lactuca sativa*: Butterhead, Oak, Lolla Rossa, Cos-Romaine, Batavia, Iceberg, Lambs lettuce (*Valerianella locusta*), Endives, Escarole, Multileaf types, Radicchio and Rocket: (all rocket varieties of *Eruca sativa*: herb, salad, wild & baby leaf rockets) Baby leaf lettuce & baby leaf brassica production (up to 8 true leaves).
- ** Parsley: Leaf parsley only.

This approval provides for the use of the product <u>Gazelle (PCS No. 03248)</u> in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 08.09.16. [Includes latest changes. This version should be used until updated]

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Product name: Gazelle.

Active Substance: (20%w/w Acetamiprid)

Formulation: Water soluble granule.

Authorisation Holder: Nisso Chemical Europe GmbH

Marketing Company: Certis Europe BV

PCS No: 03248.

User type/Function: Professional Use / Insecticide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target pest
Lettuce (field & protected), parsley (field and protected)	250g/ha	2 per crop	500g/ha	-	3 days pre- harvest	Lettuce currant aphid Nasonovia ribisnigri
Turnips, swedes, horseradish, celeriac	250 g/ha	2 per crop	500 g/ha	-	14 days pre-harvest	Peach potato aphid Myzus persicae

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed/ air assisted sprayer or knapsack.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies from tractor mounted/trailed sprayers. To protect aquatic organisms respect an unsprayed buffer zone of 1m to surface water bodies from knapsack sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (6) This approval extends to professional use only.
- (7) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of "Gazelle" as a horticultural insecticide for the control of aphids, specifically the peach potato aphid *Myzus persicae* & the lettuce currant aphid *Nasonovia ribisnigri* on the above listed lettuce crops and situations. Note: This approval does not among others cover: Land Cress, or other Herbs.

Applications should be made using conventional hydraulic sprayers or hand held applicators using a minimum of 200 litres of water per ha.

Resistance Management:

For resistance purposes *Acetamiprid* is classed within the group: Neonicotinoid IRAC group 4A. Use no more than two applications of any neonicotinoid insecticide (e.g. acetamiprid & imidacloprid) on any crop. Where a neo-nicotinoid insecticide has previously been used on the crop (e.g. as a seed treatment), use no more than a single foliar application of a neonicotinoid.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating insecticides with different modes of action is a recognised anti-resistance strategy and Gazelle should always be used in conjunction with other insecticides with a different mode of action. This includes consideration of sequences involving seed treatments followed by foliar sprays. Where a neonicotinoid seed has been used, the first subsequent foliar spray should be a non-neonicotinoid product with a different mode of action / different cross resistance group with satisfactory efficacy against the targeted pest.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.