

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Paraat (PCS No. 03614)

CROPS:

[Crops of: Protected Lettuce, Protected herbs & leafy brassica crops grown for baby leaf production,

For this EAMU the following crop definitions apply:

Lettuce, babyleaf lettuce & leafy brassica types includes:

Butterhead, oakleaf, lolla rossa, lambs, iceberg, cos romaine, batavia, apollo, cress, land cress, rocket/wild rocket, red mustard, mizuna, pea shoots, salanova, red chard, tatsoi, bullsblood & multileaf types of the above list.

Note this approval does not cover the following lettuce types: Scarole (broad leaf endive) wild or red chicory, radicchio, curly leaf endive (frizze) & sugar loaf (Sucre de pain)

Perennial herbs {*Agastache spp*: angelica, balm, bay, burnet (salad), catnip, chamomile, chives, clary sage, dragonhead, fennel, horehound, hyssop, land cress, lavandin, lavender, lemon verbena, lovage, marjoram, mint, nettle, oregano}, { *Origanum heracleoticum spp*: plantain, rosemary, rue, sage, sorrel, spike, lavender, St john's Wort, tarragon, thyme, woodruff, yarrow }

Annual herbs {basil, Borage, caraway, chervil, coriander, curry plant, dill, fenugreek, feverfew, marigold, nasturtium, parsley, rocket (salad), savory, violet }

This approval provides for the use of the product **Paraat (PCS No.03614)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor use. The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 30.01.2018. [Includes latest changes. This version should be used until updated]

Product name: Paraat

Active Substance: Dimethomorph 500g/kg

Formulation: Wettable Powder

Authorisation Holder: BASF plc

Marketing Company: BASF plc

PCS No: 03614

User type/Function: Professional Use / Fungicide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Protected lettuce, leafy brassica crops grown for baby leaf production (up to 8 true leaf stage) & herbs	0.36 kg/ha	2 per crop	0.72 kg/ha	-	14 days before harvest	Downy mildew

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed and knapsack sprayers only.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label.
- (6) This approval extends to professional use only.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

- (7) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of Paraat as an agricultural fungicide for use on the crops and situations listed above.

Applications should be applied protectantly or at the first signs of disease using a minimum of 200 litres of water per ha.

Growers are advised to test a small area of the crop first to ensure the application will not cause damage to the crop especially if the crop is under any stress.

Resistance Management:

In order to minimise risk of resistance:

“Paraat” containing *Dimethomorph* is a multi site target fungicide & is FRAC code 40. Paraat should be used just before infection or at the first sign of infection.

To reduce resistance development Paraat should be applied with products with different modes of action on crops where they are approved.

Do not use consecutive applications of “Paraat”. Apply in alternation with fungicides from a different cross resistance FRAC code with satisfactory efficacy against the targeted diseases.

NB Where “Revus” *Mandipropamid* is authorised on any of the above crops it should be noted it too is FRAC code 40 & the possibility of cross-resistance with *Dimethomorph* exists.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.