

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)**INSTRUCTIONS FOR USE****PPP: Sonata (PCS No. 05802)**

CROPS: Indoor crops of: baby leaf crops, parsley, endives, courgette, squash, pumpkin, melon, watermelon, cucumber and gherkin.

This approval provides for the use of the product **Sonata (PCS No. 05802)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 22.07.19. Includes latest changes. This version should be used until updated

Product name: Sonata

Active Substance: *Bacillus pumilus* strain QST 2808

Formulation: 14.35 g/l (1 x 10⁹ CFU/l) SC

Authorisation Holder: Bayer CropScience Ltd

Marketing Company: Bayer CropScience Ltd

PCS No: 05802

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

User type/Function: Professional Use Only / Fungicide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Indoor crops of: baby leaf crops, parsley, endives, courgette, squash, pumpkin, melon, watermelon, cucumber and gherkin	10.0 l/ha	6 per crop	60.0 l/ha	5 days	GS 89 1 day PHI	Powdery mildew

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may only be made using a tractor mounted/trailer sprayer, handheld sprayer.
- (4) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
- (5) This approval extends to professional use only.
- (6) Apply in a water volume of 200 litres water/ha.
- (7) For environmental information refer to the product label.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of Sonata as a horticultural fungicide for the control of powdery mildew on the crops & situations listed above.

Resistance Management:

Use Sonata as part of an Integrated Crop Management (ICM) strategy.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.