cover

Luna PRIVILEGE

B BAYER

ER

1Le

GROUP 7 FUNGICIDE

A fungicide for the control of powdery mildew in apples and pears.

A suspension concentrate formulation containing 500 g/L fluopyram

For use as a horticultural fungicide. For professional use only

Authorisation Holder:

Bayer CropScience Limit ad 230 Cambridge Science Pr K Milton Road, Came nu, 9 CB4 0WB, Unite Kingdom

Marketing Jompan

Bayer Crop ince td. Baver Ltd. The Atriam. Blackthorn Rd, Sandvford, Dublin 18.

Freephone 1800 818534.

For 24 hour emergency information contact Bayer CropScience Ltd. Telephone: 00800 1020 3333





Toxic + aquatic life v this no lasting en rets.

If skin irritation or rush occurs: Get medical advice/attention.

Coll ct su'llage.

ispense contents/container to a licensed haz relous-waste disposal contractor or collection site except for empty triple rinsed containers which can be disposed of as nonhazardous waste.

Contains 1.2-Benzisothiazolin-3-one. May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.

PCS Number 05916

PROTECT FROM FROST





www.bayercropscience.ie/sds/lunaprivilege.pdf

or alternatively contact your supplier

SAFETY PRECAUTIONS

Operator Protection

When using do not eat, drink or smoke Wash hands and exposed skin before eating and drinking and after work

Environmental Protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmvards or roads. To protect aquatic organisms respect an unspraved buffer zone of 10 m to surface water bodies.

Direct sprav away from water.

Storage and Disposal

Keep in original container tightly closed in a safe place.

Keep away from food, drink and animal feedinastuffs.

Rinse container thoroughly by using an integrated pressure rising device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

Do not re-use container for any purpose.

IE86734613b rA1a



DIRECTIONS FOR USE

IMPORTANT: This leaflet is approved as part of the Product Label. All instructions on this leaflet and on the label should be read carefully in order to obtain successful results from the use of this product.

DISEASES CONTROLLED

Luna Privilege is a broad spectrum fungicide which contains fluopyram (a pyridylethylamide active substance with a SDHI mode of action, FRAC code 7). It can be used to control powdery mildew (*Podosphaera leucotricha*) in apples and pears.

RATES OF USE

Crop		Maximum individual dose L product/ha	Maximum Number of Treatments per Year	Maximum total dose L product/ha	PHI
Outdoor outdoor	r apple and r pear	0.225	3	0.675	14 days bef harvest

Do not apply by hand held equipment.

CROP SPECIFIC INFORMATION

Apple and Pear

Podosphaera leucotricha: maximum 3 applications as a preventative runnichie, applied between BBCH55 (flower buds visible but still closed) to E 3CHF 9 (fruit ripe for consumption: fruit have typical taste and firmness) at 0.075 L/b fmC (where a maximum 3 metre treated canopy height* is observed) equivalent to a maximum c 0.225 L/b rim 300-1500 litres water/ha. Applications should be carried out with a minimum interval of 8 days and a 14 day PHI must be observed.

The product dose should be reduced for smaller trees as described below.

For trees with a crop canopy height* of 3 m or more: use 0.225 L/ha

For trees with a crop canopy height* of 2 m: use 0.15 L/ha

For trees with a crop canopy height* of 1 m: use 0.075 L/ha

For trees with a crop canopy height* of 1-2 m or 2-3 m: Use an intermediate rate between those given above.

* Crop Canopy Height (CH) is the average tree height in the orchard (soil to the top of the crown) minus the average trunk height in the orchard (soil to first main branch).

Mixing and Spraying

Add the required quantity of Luna Privilege to the half-filled spray tank with the agitation system in operation, and fill to the required level. Continue agitation at all times during spraying and stoppages until tank is completely empty. Spray immediately after mixing. On emptying the container, rinse container thoroughly by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of container safely.

Spray Quality: MEDIUM/FINE (as defined by BCPC).

For use in orchard hast sprayer.

After application, completely drain spray equipment. Thoroughly rinse sprayer and flush the house in and nozzles with clean water. Dispose of waste rinse water safely.

PESTICICE RESISTANCE MANAGEMENT STRATEGY

Let a Privilege contains up y am, a pyridylethylamide active substance (SDHI mode of a trion, FRAC coo 7), that can be used to control powdery mildew (*Podosphaera le, chotricha*) in an plass of pears.

Use Luna Philiege as part of an Integrated Crop Management (ICM) strategy incorporating on the methods of control, including where appropriate other fungicides with different modes of action to fluopyram.

Aprily in accordance with FRAC guidelines for pome fruit diseases:

A oply 3DHI fungicides according to manufacturers' recommendations.

- When mixtures are used for SDHI fungicide resistance management, applied as tank mix the mixture partner:
- should provide satisfactory disease control when used alone on the target disease
- must have a different mode of action
- Apply SDHI fungicides using not more than 2 consecutive applications
- Apply SDHI fungicides preventively

A maximum of three applications of Luna Privilege per year are permitted.

FRAC have produced guidance on the total number of SDHI fungicide applications in pome fruit and this should be followed, which may reduce the total number of applications (www.frac.info).

® Luna Privilege is a registered Trade Mark of Bayer
© Bayer CropScience Limited 2022